Bilateral pneumothorax complicating cystic metastases of bronchial squamous cell carcinoma under erlotinib

Etienne Giroux Leprieur, Coraline Dumenil, Sylvie Labrune, Violaine Giraud, and Thierry Chinet

Department of Pulmonology and Thoracic Oncology, Ambroise Paré Hospital - APHP, Versailles - Saint Quentin en Yvelines University, Boulogne-Billancourt, France

ABSTRACT

Cystic lung metastases are a rare presentation in non-small cell lung cancer and occurs mainly in squamous cell carcinoma. We present the case of a 57-year-old woman with a lung squamous cell carcinoma and cystic lung metastases, who developed bilateral metachronous pneumothorax while being administered erlotinib in third-line treatment. The apparition of a pneumothorax under chemotherapy is most often the result of tumor necrosis and formation of bronchopleural fistula. However, very few cases have been reported under targeted therapies, and to our knowledge this is the first case under erlotinib. This complication is potentially life-threatening, especially due to the possibility of pneumothorax bilateralization.

Key words: lung cancer, cystic lung metastasis, pneumothorax, erlotinib.

Financial disclosure: None of the authors have any financial disclosure to make.

Conflict of interest: None.

Correspondence to: Etienne Giroux Leprieur, MD, Department of Pulmonology, Ambroise Paré Hospital, 9 avenue Charles de Gaulle, 92100 Boulogne-Billancourt, France. Tel +33-1-49095802; fax +33-1-49095806; email etienne.giroux-leprieur@apr.aphp.fr

Received March 29, 2012; accepted April 5, 2012.